Subjects. The Low-Level Entities

Subjects are the foundational lightweight entities managed by Apparatus. They are mostly UE-independent and consist of Traits and Flags.

Subject Handles

Subjects are not used directly and their internals are hidden deep from the framework user“s perspective. Instead a special concept called *Subject Handle* is introduced. It“s really much like a weak pointer in terms of Unreal. When you despawn a Subject all of the handles that are currently referencing it become automatically invalid. Internally this is managed through a generation-based referencing technique.

Spawning

Spawning is a process of creating a Subject as part of some Mechanism.

C++ Workflow

In order to spawn a new Subject within the Mechanism, you should call one of the SpawnSubject methods. The simplest one would be:

```
FSubjectHandle Subject = Machine::SpawnSubject();
```

If you want to spawn a Subject with some Traits initially attached to it, use the special templated version of the method:

```
FBurning Burning{10, 15.5f};
FSword Sword{2};
FSubjectHandle BurningSword = Machine::SpawnSubject(Burning, Sword);
```

This would efficiently pre-allocate a Slot for the Subject in the correct Chunk and initialize it according to the Traits supplied as the arguments.

Despawning

The *despawning* process is exactly the opposite of spawning and basically means destroying of a Subject. Destroying an already despawned (or invalid) Subject Handle is a legal operation that does

nothing and reports no errors.

C++ Workflow

In order to destroy a Subject in your C++ code, use the Despawn method provided by the Handle structure. Do it like so:

```
void PickPowerup(FSubjectHandle Player, FSubjectHandle Powerup)
{
  // Add health/energy/strength to the player...
  ...
  // Remove the item from the world:
  Powerup.Despawn();
}
```

From:
http://turbanov.ru/wiki/ - **Turbopedia**

Permanent link:
http://turbanov.ru/wiki/en/toolworks/docs/apparatus/subject?rev=1638647252

Last update: **2021/12/04 19:47**